


### Headed Shear Connectors Low Carbon Steel




Concrete anchors are also available in longer lengths and in stainless steel.

Size	EBN No.	Qty.
1/4 x 1-1/8	25N112HSC	100
1/4 x 2-11/16	25N268HSC	100
1/4 x 4-1/8	25N412HSC	100
3/8 x 1-3/8	37N137HSC	100
3/8 x 2-1/8	37N212HSC	100
3/8 x 3-1/8	37N312HSC	50
3/8 x 4-1/8	37N412HSC	50
3/8 x 6-1/8	37N612HSC	50
1/2 x 1-1/2	50N150HSC	50
1/2 x 2-1/8	50N212HSC	50
1/2 x 2-5/8	50N262HSC	50
1/2 x 3-1/8	50N312HSC	50
1/2 x 4-1/8	50N412HSC	25
1/2 x 5-5/16	50N531HSC	25
1/2 x 6-1/8	50N612HSC	25
1/2 x 8-1/8	50N812HSC	25
5/8 x 4-3/16	62N418HSC	25
5/8 x 5-3/16	62N518HSC	25
5/8 x 6-3/16	62N618HSC	25
5/8 x 8	62N800HSC	25
3/4 x 3-3/16	75N318HSC	25
3/4 x 3-7/8	75N387HSC	25
3/4 x 4-3/16	75N418HSC	25
3/4 x 5-3/16	75N518HSC	25
3/4 x 5-7/8	75N587HSC	25
3/4 x 6-3/16	75N618HSC	25
3/4 x 7-3/16	75N718HSC	25
3/4 x 8-3/16	75N818HSC	25
3/4 x 10-3/16	75N1018HSC	25

### Standard Ferrules Supplied With Weld Studs



F 1



A 2


1. The "F" Ferrule is also available in heavy duty and low profile versions.
2. The "A" Ferrule pictured is a combination inside-outside angle Ferrule. The inside only and outside only Ferrules are also standard stock items.

Type "F" supplied unless specified

### Nuts & Screws Available - Please Call!

 STEEL METRIC STAINLESS	 STEEL METRIC	 STEEL METRIC	 STEEL	 STEEL METRIC STAINLESS
 STEEL METRIC STAINLESS	 STEEL METRIC	 STEEL METRIC	 STEEL AND STAINLESS METRIC STEEL AND STAINLESS	 STEEL METRIC
 STEEL METRIC	 STEEL METRIC	 STEEL METRIC LOCKING	 STEEL METRIC	 STEEL METRIC STAINLESS
 STEEL METRIC STAINLESS	 STEEL	 STEEL STAINLESS	 STEEL METRIC STAINLESS	 STEEL METRIC
 STEEL	 STEEL	 STEEL THROUGH HOLE	 STEEL FLUSH MOUNT	 STEEL METRIC STAINLESS
 STEEL	 STEEL STAINLESS	 STEEL METRIC STAINLESS	 STEEL METRIC STAINLESS	 STEEL METRIC STAINLESS

### Also Available Threaded Weld Studs





## T-Slot Nuts

EBN's Table-Saver design provides a safety-stop feature to prevent turning stud into tableways.

- Material: C-1018, 303 Stainless
- Finish: Black Oxide
- Threads: 2B-unc (Inch); Class 6h (Metric)
- Heat Treat: Case Hardened
- Available in metric sizes



## T-Slot Bolts

Protect your expensive machine table slots with EBN's T-Slot Bolts. The completely finished machined head provides at least 50% more bearing surface under your table slot. T-Slot Bolts outlast T-Bolts in wearability in most applications.

- Material: 4140 Forging (140,000 psi) Tensile
- Finish: Black Oxide
- Heat Treat: Rc 32 - 36
- Threads: 2A - UNC
- Available in lengths up to 24"



**Call EBN  
for your  
T-Slot  
Bolts & Nuts**

“Every choice you make has an end result.”

—Zig Ziglar

“Failure is a detour, not a dead-end street.”

—Zig Ziglar

“I believe that being successful means having a balance of success stories across the many areas of your life. You can't truly be considered successful in your business life if your home life is in shambles.”

—Zig Ziglar

“If you learn from defeat, you haven't really lost.”


—Zig Ziglar

“If you treat your wife like a thoroughbred, you'll never end up with a nag.”

—Zig Ziglar

Evansville, IN  
 Jasper, IN  
 Vincennes, IN

812-477-0077  
 812-482-5105  
 812-882-4090



Henderson, KY  
 Owensboro, KY  
 Mt. Vernon, IL

270-830-0077  
 270-684-0877  
 618-244-7156

## Security Fasteners



EBN offers a full line of Tamperproof Brand Screws and Drivers. Choose the style that fits your needs and call your local EBN office so that we can further assist you.

### Snake Eyes® Spanner

The original Snake Eyes® Spanner requires matching driver bit reducing the chances of unauthorized removal. Available in 18-8 stainless steel. Some machine screws available in brass. Stainless steel set screws available as special order. Nuts are Zinc alloy.



### Phillips Pin-Head

Traditional Phillips drive with tamper-resistant pin added for security. Easy to drive & remove with matching tool. (Cannot be removed with Phillips Screwdriver.) Available in machine & sheet metal screws with Flat or Pan-Head design.



### Socket Pin-Head

Engineered for a high degree of tamper resistance offering positive engaging, high torque transmission while resisting cam-out and tool wear. Available in Button & Flat-Head design or set screws (special order). Matching driver bit required for installation and removal.



### Torx® Pin-Head

Maximum torque transfer & positive tool engagement means easier drive installation with less pressure & slippage. Torx® Pin-Head offers a high degree of security & requires matching driver bit. Available in Button & Flat-Head machine screws & Button, Flat & Pan-Head design sheet metal screws.



### Tri-Wing®

Economical Tri-Wing® tamper-resistant screws are the common choice for high volume assembly operations while offering a minimal degree of security. Machine & sheet metal screws are offered in a Pan-Head design and Opsit™ reverse thread.



### Opsit™ Reverse Thread

Opsit™ is a reverse thread sheet metal screw that installs counter-clockwise, thus, tightens if removal is attempted. Available with a low profile Truss-Head and Tri-Wing drive.



## One-Way Slotted

Popular design installs with standard screwdriver. Reverse side cammed out to prevent unauthorized removal. Machine and sheet metal screws available in Round, Truss or Oval-Head designs. Sex-Bolts also available.



### TP3®...Security to the third power.

We've added TP3® to our powerful line-up of security fasteners. It's new triangular recessed drive offers three times the security of ordinary sheet metal screws. Plus, it's available in #8 and #120 Type A 410 stainless steel in a variety of lengths.



### Standard Non-Tamperproof Torx®

We know it's hard to find Standard Torx® screws in stock. So we've added these non-tamperproof screws to our line. Available in Pan-Head sheet metal screws type AB, diameters #8 and #10. Uses standard Torx® Tools.



### Spanner Nut/Removable Security Nut




Zinc alloy (non-ferrous rust resistant)

Diameter Length	Part No.	Matching Driver Size
1/4-20	IN.142	NO. 1ND
5/16-18	IN.516	NO. 1ND
3/8-16	IN.386	NO. 1ND

### Breakaway Nut/Non-Removable Security Nut Aluminum



Hex nut breaks away when nut is tightened leaving only the tamper-resistant conical portion. No standard tool is required - uses standard wrench for installation.



**EBN has been an authorized Auveco distributor since 1989. We offer the following items in Auveco's standard package quantities. Please call your local EBN office for more info.**

## Product Lines

- Automotive Clips & Fasteners
- Ball Joint Assemblies & Yoke Ends
- Body Bolts
- Connectors
- Electrical Accessories
- Heli-Coil® Inserts & Keenserts®
- Jacknuts, Well Nuts & Nutserts
- Key Blanks
- License Plate Hardware
- Metric Items
- Nuts & Retainers
- Pins, Door Hinge Pins & Bushings
- Rivets
- Shims
- Spring Nuts & Extruded "U" Nuts
- Tapping Screws
- Weatherstrips, Rubber Bumpers & "O" Rings
- "Xmas Tree" Retainers



**Visit [auveco.com](http://auveco.com) for a complete product listing**