




**WYPALL® X80 SHOPPRO® Towels:**  
**Better Than Cloth At A Fraction Of The Cost**




WYPALL® X80 Absorbs Water and Oil Faster than Laundered Shop Towels <sup>1</sup>





It's like a rental shop towel, only more consistent. Engineered to feel like cloth and work even better. WYPALL® X80 SHOPPRO® is made using our patented HYDROKNIT® Fast-Absorbing Material.

- Absorbs more oil and water faster pound for pound than laundered shop towels
- No holes, strings, metal chips or residues like laundered shop towels
- Maintains strength in solvents as well as laundered shop towels



**WYPALL X80 Towels**  
**60 days 10% savings guaranteed**

- Task:**
- Heavy-duty machine & part wiping
  - Wiping metal shavings
  - Prepping surfaces with solvents
  - Cleaning rough surfaces



**WYPALL X80 Towels (Cont.)**

Properties:



Solvent Resistance  
●●●●●



Absorption Capacity  
●●●●●



Wet Strength  
●●●●●



Absorption Rate  
●●●●●

SN No.	Desc.	Color	Size W" X L"	Put-Up	Dispenser
05930	Pop-Up® Box	Orange	9.1" x 16.8"	5/80	73900
41029	1/4 fold	Orange	12.5" x 14.4"	4/50	09107
41055	Jumbo Roll	Orange	12.5 x 13.4"	1/475	80590, 80595 80579, 80585
41041	Brag Box	Blue	12.5 x 16.8	160	73900

**WYPALL® X60 TERI® Wipers:**

**The Ideal Rag Replacement Wiping System**

Extra-tough WYPALL® X60 TERI® brings the absorbing power of our HYDROKNIT® technology to a lighter weight wiper. Designed to out-perform rags, new WYPALL® X60 TERI® Wipers set a higher standard for general purpose wipers.



- No adhesives or binders; leaves nothing behind
- Reinforced for extra scrubbing and cleaning power
- Tough enough for big jobs - soft enough for face and hands.

Task

- Applying thinners & solvents
- Cable lubricant removal
- Adhesive cleaning
- Removing grease & soil in tight areas

Properties



Solvent Resistance  
●●●○○



Absorption Capacity  
●●●○○



Wet Strength  
●●●○○



Absorption Rate  
●●●●●

SN No.	Desc.	Color	Size W" X L"	Put-Up	Dispenser
34015	Brag Box	White	12.5" x 16.8"	1/180	73900
34790	Pop-Up® Box	White	9.1" x 16.8"	10/126	73900
34865	1/4 Fold	White	12.5" x 14.4"	12/76	09107
34955	Jumbo Roll	White	12.5 x 13.4"	1/1100	80585, 80590, 80595, 80579

**Call EBN For Kimberly-Clark Items Not Listed**



# Kimberly-Clark

## WypALL® L40 Wipers: America's Favorite Disposable Wiper

WypAll® L40 Wipers feature our unique DRC (Double Re-Creped) base sheet technology.

This unique process produces a surface which is soft and cushiony, and an inner layer of sponge-like cells that absorb liquids efficiently. WYPALL® L40 Wipers are an outstanding general-purpose wiper with good performance in a wide range of industrial cleaning and personal wiping tasks.



- Easily absorbs liquids, lubricants, and oils
- Soft enough for use on face and hands
- Setting the standard for general purpose wiping for over 20 years

### Task

- Absorbing large liquid spills and leaks
- Routine industrial cleaning & maintenance
- Removing soils and liquids from face and hands

### Properties



**Solvent Resistance**  
●●○○○○



**Absorption Capacity**  
●●●●●○



**Wet Strength**  
●●○○○○



**Absorption Rate**  
●●●●○

SN No.	Desc.	Color	Size W" X L"	Put-Up	Dispenser
05790	Pop-Up® Box	White	16.4" x 9.8"	9/100	09352
05701	1/4 Fold	White	12.5" x 14.4"	12/56	09107
05025	Small Roll	White	11" x 10.4"	12/85	N/A
05007	Jumbo Roll	White	11.8" x 13.4"	1/700	80585, 80590, 80595, 80579

## WypAll® L30 EconoMizer® Wipers: High Performance For Your Money

WypAll® L30 EconoMizer® Wipers offer our lighter weight DRC (Double Re-Creped) technology at a great everyday value. This unique process gives WypAll® L30 EconoMizer® high surface softness, while its reinforced grid provides strength for wet surface wiping and cleaning. WypAll® L30 EconoMizer® is specifically designed to replace airlaid wipers, which have "pool-prone" pore areas. It's ideal for a variety of light-duty maintenance, processing and janitorial wiping tasks.

- Cloth-like feel at a value price
- Strong, yet soft enough for personal use
- Great for light-duty clean-ups



### Properties



**Solvent Resistance**  
●●○○○○



**Absorption Capacity**  
●●●●○



**Wet Strength**  
●●○○○○



**Absorption Rate**  
●●●●○


SN No.	Desc.	Color	Material	Size W" X L"	Put-Up	Dispenser
05816	Pop-Up® Box	White	DRC	16.4" x 9.8"	10/120	09352
05812	1/4 Fold	White	DRC	12.5" x 14.4"	12/90	09107
05820	Center Pull Roll	White	DRC	9.8" x 15.2"	2/300	09335
05841	Jumbo Roll	White	DRC	12.5" x 13.4"	1/950	80585, 80590
05842	Small Roll	White	DRC	11.0" x 10.4"	24/75	80595, 80579 N/A

## Delivery Systems To Match Your Workplace Perfectly

Mobile/Portable		Use with these Dispensers:
<b>Pop-Up® Box</b> 	Offers convenient one-at-a-time dispensing Equivalent to 10 lbs. of rags	<b>73900 Access® Dispenser</b> <b>09352 The Grabber® Dispenser</b>  
<b>Brag Box®</b> 	Controlled Dispensing Equivalent to 25 lbs. of rags	N/A
<b>Small Roll</b> 	Equivalent to 8 lbs. of rags	<b>73100 Small Roll Dispenser, 9.75"</b> <b>73110 Small Roll Dispenser, 19.5"</b>  

Benchtop/Stationary		
<b>Quarterfold</b> 	Ideal for benchtop use Equivalent to 5 lbs. of rags	<b>09107 Quarterfold Dispenser</b> 
<b>Flat</b> 	Equivalent to 35 lbs. of rags	N/A
<b>Small Roll</b> 	Equivalent to 8 lbs. of rags	<b>73100 Small Roll Dispenser, 9.75"</b> <b>73110 Small Roll Dispenser, 19.5"</b>  

High Capacity/Shared		
<b>Medium Roll</b> 	Equivalent to 30 lbs. of rags Controlled dispensing Protects product	<b>09335 Center Pull Dispenser, 13"</b> <b>09336 Center Pull Jr. Dispenser, 8"</b>  
<b>Large Roll</b> 	Equivalent to 100 lbs. of rags	<b>80585 Jumbo Roll Dispenser</b>  <b>80590 Jumbo Wall Mount Dispenser</b>  <b>80595 Jumbo Roll Dispenser II</b>  <b>80579 Jumbo Wall Mount Dispenser II</b> 




## K.C. Washroom Supplies

### Skin Care Products and Systems



KC No.	Description	Size	Color	Packaging	Fragrance	Case Count
91035	Naturally Tuff Orange w/Grit	1 Gallon	White	2/1 gal, pump	Orange	2
91047	Naturally Tuff Orange w/Grit	3.5L	White	2/1 3.5L	Orange	2
91757	Super Duty w/Grit	3.5L	Green	2/1 3.5L	Herbal	2
91298	Antibacterial Clear Skin Cleanser	800ml	Straw	12/800ml	Medicinal	12
91341	Waterless Hand Wipes	90 Count Bucket	Green	6/90	Herbal	6

- Super Duty Cleanser - Greater Cleaning Strength for Heavy Soils.
- Naturally Tuff Orange - Greatest Cleaning Strength & Conditioning for Medium to Heavy Soils.
- Antibacterial Skin Cleanser - Cleans & Kills Bacteria, for us in Office Buildings & High Traffic Areas.



KC No.	SkinCare Dispensers	Color	Case Count	Use With
92112	Insight® 3.5L/8L Push Dispenser	Black	2	91047, 91757
91181	Insight® Series-i 8ml Dispenser	Black	2	91298

### Towels and Tissues



SN No.	Description	Size	Color	Packaging	Ply	Case Count
21400	Facial Tissues	8.4" x 8.6"	White	100 sts/36 yds.	2	3,600 sts



SN No.	Description	Size	Color	Packaging	Ply	Case Count	Use Dispenser
01000	1000' Hard Roll Towels	8" x 1,000'	White	1,000 ft/12 rolls	1	12,000 sts	09063
01950	ScottFold® M Towels	8.1" x 12.4"	White	175 sts/20 pks	1	3,500 sts	-
01510	C-Fold Towels	10.4" x 13.25"	White	150 sts/16 pks	1	2,400 sts	-
01804	Multi-Fold Towels	9.25" x 9.4"	White	200 sts/20 pks	1	4,000 sts	-
01482	Perforated Roll Towels	11" x 9.375"	White	90 sts/30 pks	2	2,700 sts	-
07805	JRT® Jr Jumbo Roll Tissue	3.78" x 1,000'	White	1,000 ft/12 rolls	2	12,000 ft	09071, 09039
04460	Standard Roll Bathroom Tissue	4.5" x 4.4"	White	500 sts/96 pks	2	48,000 sts	-
01010	Scott® Center-Pull Towels	8' x 15'	White	500 sts/4 rolls	2	2,000 sts	09335

SN No.	Washroom Dispensers	Color	Case Count
09063	Lev-R-Matic® Roll Towel Dispenser	Smoke/Grey	2
09071	JRT® Jr Jumbo Roll Tissue Dispenser	Smoke/Grey	4
09039	Junior Twin JRT® Dispenser	Smoke/Grey	1
09335	In-Sight® The Protector® Center Flow Towel Dispenser	Smoke/Grey	1



SN No.	Description	Color/ Fragrance
91371	WypAll® Waterless Hand Wipes	Green/ Orange/Citrus



**Contact EBN for items not listed!**



### MRO Plus™



MRO Plus is highly effective for cleanup and removal of oil and water-based liquids. A heavyweight, gray dimpled material combining thickness, strength and high absorbency, low-linting MRO Plus is suitable for virtually any industrial application.

SPC No.	Part No.	Description
MR0300	/8060012	16" x 20", 100/bale Medium weight roll.
MR0350	/8060010	30" x 150', 1/bale Medium weight roll.

### ENV™ Oil Sorbents— Contractor Grade



• Economical pads, rolls and booms for oil clean-up on land or water.

SPC No.	Part No.	Description
ENV100	/8060018	16" x 20", 100/bale Economy, Heavy weight pad.

**Slikwik®** An exceptional value, corncob-filled Slikwik SOC's are extremely flexible and mold easily around tight corners and into odd spaces. Slikwik SOC's are not intended for use against aggressive fluids.

**Allwik™** An all-purpose maintenance SOC with moderate chemical resistance that makes it suitable for most industrial applications. Can be wrung and incinerated.

### Slikwik Socs™

#### Slikwik



• For quick, dependable pick-up of all but aggressive fluids

SPC No.	Part No.	Description
SW46	/8060017	3" x 46", SLIKWIK 40/case

#### Allwik®



• All-purpose maintenance SOC, suitable for most industrial applications.

SPC No.	Part No.	Description
AW430	/8060016	3" x 4' ALLWIK® 30/case

### Floor Dry



• Economical granular sorbents are still widely used by many industries for quick, dependable pickup of leaks and spills.

Part No.	Description
/8310150	40 lbs/bag, 50 bags/pallet.

### Polo-Knit Rags




Part No.	Description
/RAGS	25 lb. Colored Polo-Knit Rags

## ✦ CAN'T FIND IT? ✦

**We have many products not included in this catalog...if you don't find it call us...we may have or can get just what you are looking for. New items are always being added. Send us your orders or inquiries when you want an item that is not listed...and thanks!**

Evansville, IN 812-477-0077  
 Jasper, IN 812-482-5105  
 Vincennes, IN 812-882-4090



Henderson, KY 270-830-0077  
 Owensboro, KY 270-684-0877  
 Mt. Vernon, IL 618-244-7156

## Tape Masking Tape


### Pro-Mask Blue®



This painter's masking tape is a high quality blue tape with a special adhesive that provides clean removability even from glass that has been left in direct sunlight for up to 14 days. Excellent UV resistance, conformability and tensile strength.

Part No.	Roll Dimensions	Item UPC 077922	Case Qty.
95311	.94in x 60yds	80837 3	24
95332	1.87in x 60yds	80839 7	12

### PG500 Economy Grade Masking



Recommended for light duty applications. Good adhesion and holding power. Crepe backing with a hot melt adhesive.

Part No.	Roll Dimensions	Item UPC 077922	Case Qty.
/UT771/2	.47in x 60yds	N/A	72
/UT773/4	.70in x 60yds	N/A	48
/UT771	.94in x 60yds	N/A	36
/UT771-1/2	1.40in x 60yds	N/A	24
/UT772	1.87in x 60yds	N/A	24
/UT773	2.81in x 60yds	N/A	16

## Duct Tape

### Value Plus DUCTape™



Poly coated cloth tape features and excellent adhesive. Good tensile strength. Water resistant and tear resistant.

Part No.	Roll Dimensions	Grade	Case Qty.
/UT6900	1.87in x 60yds	Value	24
/UT6700	1.87in x 60yds	Utility	24

### Anchor® 36 Heavy Duty Contractor Grade DUCTape™



Contractor grade, all purpose Ductape™ with an aggressive adhesive system that bonds to almost any surface. Excellent conformability for working in tight spaces. Water and tear resistant. UL723 rated, meets HUD and BOCA codes.

Part No.	Roll Dimensions	Grade	Case Qty.
/UT4137	1.87in x 60yds	Contractors	24
/UT84139	1.87in x 60 yds	Superior	24

## Anchor® 698 HVAC Film Tape



UL181B-FX Listed polypropylene tape designed for seaming, closing and repairing of flexible ducts. High slip resistance for strength and durability. Superior flexibility allows for easy molding to a variety of shapes. Excellent adhesion strength in a wider range of temperatures, up to 210°. UL markings printed on the tape for easy identification. Hand tears, no dispenser needed.

SN No.	Roll Dimensions	ITEM UPC 077922	Case Qty.
4141 (Metalized)	2in x 120yds	84141 7	36

## Aluminum Foil Tape

### Aluminum Foil Tape



3mil. Thick with strong adhesive, flame retardant.

Part No.	Roll Dimensions	Grade	Case Qty.
/UT412	2in x 50yds	Contractors	24
/UT413	3in x 50yds	Contractors	16

## Packaging Tape

### General Purpose Film Carton Sealing Tape - 2.0 mil, 1.87" x 54.5 yds.



Polypropylene film tape with aggressive adhesive. Meets UPS and US Postal regulations for package sealing.

SN No.	Color	Item UPC 077922	Case Qty.
9851	(Tan)	76194 4	36
9852	(Clear)	76195 1	36


### Premium Paper Carton Sealing Tape - Self Adhesive



Kraft paper tape with aggressive adhesive. Has good moisture and tear resistance properties.

SN No.	Roll Dimensions	Item UPC 077922	Case Qty.
9340	1.40in x 25yds	77041 0	24
9341	1.87in x 60yds	76200 2	12
9342	1.40in x 60yds	77042 7	16

## Packaging Tape Dispenser



Pistol Grip, use 2" roll widths.

Part No.	Description	Item UPC 077922	Case Qty.
/ORG2996163	Deluxe - (Reinforced Steel Frame)	84356 5	1

## Carpet Tape

### Non-Slip Tape



Mineral Abrasive self adhesive tape used in foot traffic areas that may be slippery. Moisture resistant.

SN No.	Roll Dimensions	Item UPC 077922	Case Qty.
1727	2in x 8ft.	82171 6	12

## Electrical Tape

### General Purpose Vinyl Electrical Tape



Black PVC electrical insulation tape. 7Mil has excellent adhesion and elongation properties. UL listed.

Part No.	Roll Dimensions	Item UPC 077922	Box Qty.
/UT602	.75in x 60ft.	85680 0	10

### General Purpose Vinyl Electrical Tape - Made in USA



Black PVC electrical insulation tape. 7mil has excellent adhesion and elongation properties. UL listed. Excellent for extreme weather conditions. Flame retardant.

Part No.	Roll Dimensions	Item UPC 077922
/UT66AW	.75in. x 66ft.	85581 0

### All Weather Colored Vinyl Electrical Marking Tape, PVC, .75" x 60 Ft.



7 Mil, has excellent adhesion. UL Listed

SN No.	Color	Item UPC 077922	Sleeve Qty.
4113	(Green)	84113 4	10
4114	(White)	84114 1	10
4115	(Grey)	84115 8	10
4116	(Yellow)	84116 5	10
4117	(Blue)	84117 2	10
4118	(Red)	84118 9	10
5681	(Brown)	85681 7	10
5682	(Orange)	85682 4	10



## Tape (Cont.)

### Coated Threadseal Tape



Coated threadseal tape is chemically inert, withstands alkalis, acids, oils and solvents. Can be used on iron, stainless steel, copper, brass, plastic, glass or rubber pipes.

Part No.	Roll Dimensions
/UT111/2x520	.5in x 520in
/UT113/4x520	.75in x 520in
/UT111x520	1in x 520in



### Mining Tape

Scotch® Heavy Duty Mining Tape 31 is approved by P-07-KA080005-MSHA (Mining Safety and Health Administrator) as the outer jacketing of the 3M™ Mining Tape Splicing Kits 3100 series. The tape is printed with the MSHA logo/approval number. Scotch® Heavy Duty Mining Tape 31 allows for on-site, quick repair of mining cables. Scotch® Heavy Duty Mining Tape 31 is proudly made in the U.S.A.

#### Benefits:

- Durable, flexible
- On-site, quick, universal cable repair
- Abrasion, water, UV, chemical and oil-resistant, heavy duty backing
- No heat required
- Moisture-resistant, self-healing, flame retardant mastic
- Will not corrode copper or aluminum
- P-07-KA080005-MSHA Approved

#### Uses:

- For the repairing of mining cable, especially flexible cables

### 3M™ Splice Kit 3100



Qty.	Description	Size	Voltage	Cable Range
1	Scotch® Heavy Duty Mining Tape 31	2" x 8.5'	600V - 2kV	#6-500 kcmil
1	Scotch® Linerless Rubber Splicing Tape	1-1/2" x 30'	600V - 2kV	#6-500 kcmil
1	3M™ Temflex™ Vinyl Electrical Tape 1700P	1-1/2" x 44'	600V - 2kV	#6-500 kcmil
1	3M™ Cable Cleaning Preparation Kit CC-2-Dry		600V - 2kV	#6-500 kcmil

### 3M™ Splice Kit 3103



Qty.	Description	Size	Voltage	Cable Range
2	Scotch® Heavy Duty Mining Tape 31	2" x 8.5'	5 - 15kV	#6-500 kcmil
1	3M™ Temflex™ Vinyl Electrical Tape 1700P	1-1/2" x 44'	5 - 15kV	#6-500 kcmil
3	Scotch® Electrical Shielding Tape 24	2" x 10'	5 - 15kV	#6-500 kcmil
2	Scotch® Rubber Mastic Tape 2228	1" x 10'	5 - 15kV	#6-500 kcmil
2	3M™ Cable Cleaning Preparation Kit CC-2-Dry		5 - 15kV	#6-500 kcmil
3	Scotch® Electrical Semi-Conductive Tape 13	3/4" x 15'	5 - 15kV	#6-500 kcmil
3	Scotch® Linerless Rubber Splicing Tape 130C	1-1/2" x 30'	5 - 15kV	#6-500 kcmil
3	Scotch® Linerless Rubber Splicing Tape 130C	3/4" x 30'	5 - 15kV	#6-500 kcmil

### 3M™ Splice Kit 3104



Qty.	Description	Size	Voltage	Cable Range
1	Scotch® Heavy Duty Mining Tape 31	2" x 8.5'	2kV	#6-500 kcmil
1	3M™ Temflex™ Vinyl Electrical Tape 1700P	1-1/2" x 44'	2kV	#6-500 kcmil
2	Scotch® Electrical Shielding Tape 24	2" x 10'	2kV	#6-500 kcmil
1	3M™ Cable Cleaning Preparation Kit CC-2-Dry		2kV	#6-500 kcmil
2	Scotch® Linerless Rubber Splicing Tape 130C	1-1/2" x 30'	2kV	#6-500 kcmil

Evansville, IN  
Jasper, IN  
Vincennes, IN

812-477-0077  
812-482-5105  
812-882-4090



Henderson, KY  
Owensboro, KY  
Mt. Vernon, IL

270-830-0077  
270-684-0877  
618-244-7156

# 3M

## Tape (Cont.)

### Mining Tape (Cont.)

Kit Replacement Products	Stock No.	UPC (054007-)	Size
Scotch® Heavy Duty Mining Tape 31	80-6114-3749-4	051128-57149	2" x 6' length (54 mm x 1.8 m)
Scotch® Heavy Duty Mining Tape 31	80-6114-3400-4	051228-56812	2" x 8.5' length (51 mm x 2,4 m)
Scotch® Heavy Duty Mining Tape 31	80-6114-3750-2	051228-57150	2" x 10' length (51 mm x 3,05 m)
Scotch® Linerless Rubber Splicing Tape 130C	80-6108-3340-4	41717	3/4" x 30' (19 mm x 9,1 m)
Scotch® Linerless Rubber Splicing Tape 130C	80-6101-5439-7	41718	1-1/2" x 30' (38 mm x 9,1 m)
3M™ Temvelx™ Vinyl Electrical Tape 1700P	80-6101-5439-7	08408	1-1/2" x 44' (38 mm x 13,4) bulk
Scotch® Electrical Shielding Tape 24	80-6114-3889-8	051128-57289	2" x 10' (19 mm x 4,57 m)
Scotch® Electrical Semi-Conducting Tape 13	HT-0020-0121-8	15017	3/4" x 15' (25 mm x 3,05 m)
Scotch® Rubber Mastic Tape 2228	80-6107-3766-2	50727	1' x 10' (25 mm x 3,05 m)
Scotch® Rubber Mastic Tape 2228	80-6103-2294-5	09656	2' x 10' (51 mm x 3,05 m)
3M™ Cable Cleaning Preparation Kit CC-2-Dry	80-6112-0013-2	43414	N/A
3M™ Cable Cleaning Preparation Kit CC-2	80-6105-9299-2	49563	N/A
Scotch® Glass Cloth Tape 27	80-0120-2036-0	15074	3/4" x 66'
Scotch® Glass Cloth Tape 69	80-0180-0360-0	09910	3/4" x 66'

Kit Replacement Products	Packaging	Minimum Order Qty.
Scotch® Heavy Duty Mining Tape 31	10 rolls/box	10 rolls
Scotch® Heavy Duty Mining Tape 31	10 rolls/box	10 rolls
Scotch® Heavy Duty Mining Tape 31	10 rolls/box	10 rolls
Scotch® Linerless Rubber Splicing Tape 130C	24 rolls/box	24 rolls
Scotch® Linerless Rubber Splicing Tape 130C	12 rolls/box	12 rolls
3M™ Temvelx™ Vinyl Electrical Tape 1700P	N/A	100 rolls
Scotch® Electrical Shielding Tape 24	20 rolls/box	20 rolls
Scotch® Electrical Semi-Conducting Tape 13	1 box, 10/ctn.	10 rolls
Scotch® Rubber Mastic Tape 2228	12 rolls/box	12 rolls
Scotch® Rubber Mastic Tape 2228	12 rolls/box	10 rolls
3M™ Cable Cleaning Preparation Kit CC-2-Dry	10/each	10 kits
3M™ Cable Cleaning Preparation Kit CC-2	10/each	10 kits
Scotch® Glass Cloth Tape 27	50 rolls/box	10 rolls
Scotch® Glass Cloth Tape 69	50 rolls/box	10 rolls

3M, Scotch and Temflex are trademarks of 3M Company.  
Hypalon is a trademark of E. I. duPont de Nemours and Company

### IMPORTANT NOTICE

Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use.

## Flagging & Barricade Tape

### Caution Tape, Danger & Wet Paint Tape



Yellow background with black letters on tough vinyl. Used for limiting access to specific areas.

Part No.	Roll Dimensions	Item
/UT600CC1000	3in x 1000ft.	Caution
/UT600RD1000	3in x 1000ft.	Danger
/UT600WP1000	3in x 1000ft.	Wet Paint


### Flagging Ribbon



Highly visible, water resistant, tough colorfast vinyl. For marking, surveying and many other uses.

Part No.	Roll Dimensions	Case Qty
/TAPEOG (Orange Glow)	1.187in x 50yds	12/144
/TAPEPG (Pink Glow)	1.187in x 50yds	12/144
/TAPERG (Red Glow)	1.187in x 50yds	12/144
/TAPELG (Lime Glow)	1.187in x 50yds	12/144
/TAPEYG (Yellow Glow)	1.187in x 50yds	12/144
/TAPEY (Yellow)	1.187in x 100yds	12/144
/TAPER (Red)	1.187in x 100yds	12/144
/TAPEB (Blue)	1.187in x 100yds	12/144
/TAPEO (Orange)	1.187in x 100yds	12/144
/TAPEG (Green)	1.187in x 100yds	12/144
/TAPEW (White)	1.187in x 100yds	12/144

### Marking Flags



4" x 5" marking flag on 21" and 24" wire stake. Highly visible, water resistant, tough colorfast vinyl. For marking, surveying and many other uses.

Part No.	Description	Case Qty.
/PR45240OG	Orange Glow	100/1000
/PR45240PG	Pink Glow	100/1000
/PR45240LG	Lime Glow	100/1000
/PR45240RG	Red Glow	100/1000
/PR4521GR	Green	100/1000
/PR4521BL	Blue	100/1000
/PR4521RD	Red	100/1000
/PR4521WT	White	100/1000
/PR4521YL	Yellow	100/1000
/PR4521OR	Orange	100/1000

Evansville, IN  
 Jasper, IN  
 Vincennes, IN

812-477-0077  
 812-482-5105  
 812-882-4090



Henderson, KY  
 Owensboro, KY  
 Mt. Vernon, IL

270-830-0077  
 270-684-0877  
 618-244-7156

### Tape (Cont.) Perforated Lumber Roll (Label)



Highly visible, 12 x 12 water resistant, tough colorfast vinyl danger flag. Attach to oversized loads to warn motorists of possible hazard.

SN No.	Description	Case Qty.
200RD	Red w/ black print	1

### Stretch Wrap


#### StretchFlex™ Stretch Wrap

StretchFlex® 80 gauge stretch wrap used to wrap, band, hold, bundle and protect. Strong, durable, easy to use. Sticks to itself, not the item being wrapped. Keeps items clean and neat. "See through" clarity lets you see the wrapped items. Water and dust resistant.



SN No.	Roll Dimensions	Case Qty.
4348	5in x 1000ft (127mm x 304.8m)	6
4349	20in x 1000ft (508mm x 304.8m)	4

### Packaging Supplies Primetac Acrylic Box Tape



Part No.	Color	Size	Rolls/Box
/PT4053110T	Tan	3" x 110 yds.	24
/PT4053110C	Clear	3" x 110 yds.	24
/PT4052110C	Clear	2" x 110 yds.	36

### Pistol Grip Dispensers

Part No.	Description
/SD935	3" Pistol Grip Dispenser
/ORG2996163	2" Pistol Grip Dispenser

### Brown Reinforced Tape



Part No.	Description	Case Qty.
/PT80570500	#805 70mm x 500'	6

### Stretch Film



- Great for Palletizing

Part No.	Description
/F18SF3	18" x 1500' on 3" core

### Portable Dispensers

Part No.	Description
/ORG4889721	12" - 18" Rolls

### Poly Strapping



- Use with hand or power tools

Part No.	Color	Size	Tensile / Core
/1240-90	Black Polypropylene	1/2" x .015 x 9,000'	500 lb. / 16" x 6"

### Cord Strapping

Part No.	Color	Size	Tensile
/60B	White Polyester	3/4" x 2100'	900 lb.

### S-Hooks



Part No.	Color	Size
/S12	Zinc Plated Steel Wire	.312 Wire x 2-5/8 OAL

### Wide Roll PE Foam



Part No.	Color	Size
/33275048	White	3/32" x 48" x 750"
/33275048-G	Gray	3/32" x 48" x 750"

### Stanley Retractable Utility Knife



Part No.	Description
/ST10175	Stanley Retractable Utility Knife





## Fire Protection Products

### Fire Barrier Caulks

#### 3M™ Fire Barrier CP 25WB+ Caulk

- Great for sealing around metal and small plastic pipes in both concrete or gypsum walls
- Prevents both fire and smoke escaping to other areas in a building
- Up to 4 hour fire rating in fire-rated assemblies



Part No.	Size	Color	Description	Case Qty.
/3M11638	10.1 oz.	Red-Brown	Cartridge	12
/3M11642	20 oz.	Red-Brown	Sausage Pack	10
/3M11641	27 oz.	Red-Brown	Cartridge	6
/3M11639	2 gal.	Red-Brown	Pail	1
/3M11640	5 gal.	Red-Brown	Pail	1

#### 3M™ Fire Barrier IC 15WB Caulk

- Cost effective intumescent latex for common pipe and cable penetrations seals against inadvertent water spills in the expanded state
- Dries tack-free in just 8 to 12 minutes
- Good UL testing
- 2 hour fire rating



Part No.	Size	Color	Description	Case Qty.
/3M16557	10.1 oz.	Yellow	Cartridge	12
/3M16560	20 oz.	Yellow	Sausage Pack	10
/3M16559	27 oz.	Yellow	Cartridge	6
/3M16558	4.5 gal.	Yellow	Pail	1

#### 3M™ FireDam 150+ Acrylic Latex Caulk

- Joint and penetration sealant
- One component — water-based
- Tools easily to a smooth finish



Part No.	Size	Color	Description	Case Qty.
/3M11574	10.1 oz.	Blue	Cartridge	12
/3M11634	20 oz.	Blue	Sausage Pack	12
/3M11602	28 oz.	Blue	Cartridge	6

## Fire Barrier Sealants

- Used to firestop openings and penetrations through fire rated floor slabs, walls, and other building partitions
- Helps control the spread of fire, smoke, and noxious gases
- Light gray in color with light black flecks
- Meets ASTM G21, UL Water leakage test, and W Rating Class 1 requirements
- 3000WT



Part No.	Size	Color	Description
/ORG9404328	10.1 oz.	Light Gray	Cartridge

- Forms a tight barrier against fire, smoke, and toxic fumes
- Suitable for a wide variety of through-penetration fire stops, including cable, metal pipe, insulated pipe, glass pipe, construction gaps, HVAC ductwork and certain plastic pipe applications
- Cures to form a flexible seal, installs with a standard caulking gun, pneumatic pumping equipment or putty knife
- Meets ASTM FM and U.L. tested for 3 hour fire penetration seal for walls and floors
- Premium Latex Based



Part No.	Size	Description
/3M11638 or /ORG6763031	10.5 oz.	Cartridge

- Designed for use as a one-part fire, smoke, noxious gas and water resistant sealant
- Easy cleanup, no special handling, routine disposal
- Fast dry, tack-free, in 8-12 minutes
- Paintable after 72 hour cure
- Meets ASTM E 814 and ASTM E1966
- Water-Based/Latex



Part No.	Size	Color	Description
/ORG1002583	10.1 oz.	Yellow	Cartridge

- Used to firestop metal pipes or cables through concrete or gypsum, and head of wall systems
- Dries to touch in 30-60 minutes
- Meets ASTM E 814 and ASTM E1966
- Latex-Based - Elastomeric



Part No.	Size	Color	Description
/ORG1116664	10.1 oz.	Blue	Cartridge




- Classified for sealing fire-rated service penetrations and construction joints in horizontal and vertical fire separations.
- Single component silicone fire barrier for sealing around piping and wiring penetrations through fire-rated walls and floors
- U.L. Listed; Meets ASTM Specifications E-814, UL1479 and UL2079
- Fire Stop Elastomeric



Part No.	Size	Color	Description
/ORG6953087	10.1 oz.	Light Gray	Cartridge



## Standard Hinge Terminology



**Gauge** - The thickness of a hinge leaf.

**Leaf** - The portion of a hinge extending laterally from the knuckle and which usually revolves around a pin.

**Leaf Width** - The dimension from the center of the pin to the outer edge of the leaf.

**Hinge Width** (Same as open width.) - The overall dimension of the leaves measured perpendicular to, or across, the pin.

**Pin** - Rod running the length of the hinge. The pin holds the leaves of the hinge together.

**Knuckle** - The hollow circular part at the joint of a hinge through which a pin is passed. The knuckle is often called a loop, joint, node or curl.

**Knuckle Length** - The nominal or typical dimension of the knuckle measured parallel to the pin.

**Hinge Length** - The length of the leaves measured parallel to the pin.

**EBN stocks 6' lengths of continuous hinge in steel, stainless steel & aluminum. Please call for exact sizes.**



### Plain Or Standard

**Assembly** - This is a surface-type hinge. The leaves lie flat in the same plane when in the open position. Unless otherwise indicated, this type of hinge will be furnished.

**Please Note Material When Ordering.**

## Steel Continuous Hinges

### Equal Leaves Stock Lengths 72"

EBN No. Steel	Stainless Steel	Aluminum	Gauge	Open Width	Pin Diameter	Knuckle Length
/S025012x72	/SS025012x72	/A025012x72	.025	3/4	.062	1/4
/S025016x72	/SS025016x72	/A025016x72	.025	1	.062	1/4
/S035012x72	/SS035012x72	/A035012x72	.035	3/4	.086	1/4
/S035017x72	/SS035017x72	/A035017x72	.035	1-1/16	.086	1/4
/S035020x72	/SS035020x72	/A035020x72	.035	1-1/4	.086	1/4
/S035024x72	/SS035024x72	/A035024x72	.035	1-1/2	.086	1/4
/S040017x72	/SS040017x72	/A040017x72	.040	1-1/16	.093	1/2
/S040020x72	/SS040020x72	/A040020x72	.040	1-1/4	.093	1/2
/S040024x72	/SS040024x72	/A040024x72	.040	1-1/2	.093	1/2
/S040032x72	/SS040032x72	/A040032x72	.040	2	.093	1/2
/S052020x72	/SS052020x72	/A052020x72	.050	1-1/4	.125	1/2
/S052024x72	/SS052024x72	/A052024x72	.050	1-1/2	.125	1/2
/S052032x72	/SS052032x72	/A052032x72	.050	2	.125	1/2
/S062017x72	/SS062017x72	/A062017x72	.060	1-1/16	.125	1/2
/S062020x72	/SS062020x72	/A062020x72	.060	1-1/4	.125	1/2
/S062024x72	/SS062024x72	/A062024x72	.060	1-1/2	.125	1/2
/S062032x72	/SS062032x72	/A062032x72	.060	2	.125	1/2
/S062040x72	/SS062040x72	/A062040x72	.060	2-1/2	.125	1/2
/S062048x72	/SS062048x72	/A062048x72	.060	3	.125	1/2
/S062064x72	/SS062064x72	/A062064x72	.060	4	.125	1/2
/S063020x72	/SS063020x72	/A063020x72	.060	1-1/4	.125	1
/S063024x72	/SS063024x72	/A063024x72	.060	1-1/2	.125	1
/S063032x72	/SS063032x72	/A063032x72	.060	2	.125	1
/S063040x72	/SS063040x72	/A063040x72	.060	2-1/2	.125	1
/S063048x72	/SS063048x72	/A063048x72	.060	3	.125	1
/S064024x72	/SS064024x72	/A064024x72	.060	1-1/2	.187	1
/S064032x72	/SS064032x72	/A064032x72	.060	2	.187	1
/S064040x72	/SS064040x72	/A064040x72	.060	2-1/2	.187	1
/S064048x72	/SS064048x72	/A064048x72	.060	3	.187	1
/S065024x72	/SS065024x72	/A065024x72	.060	1-1/2	.187	1/2
/S065032x72	/SS065032x72	/A065032x72	.060	2	.187	1/2
/S065040x72	/SS065040x72	/A065040x72	.060	2-1/2	.187	1/2
/S065048x72	/SS065048x72	/A065048x72	.060	3	.187	1/2
/S065064x72	/SS065064x72	/A065064x72	.060	4	.187	1/2
/S074024x72	/SS074024x72	/A074024x72	.075	1-1/2	.187	1
/S074032x72	/SS074032x72	/A074032x72	.075	2	.187	1
/S074040x72	/SS074040x72	/A074040x72	.075	2-1/2	.187	1
/S074048x72	/SS074048x72	/A074048x72	.075	3	.187	1
/S074064x72	/SS074064x72	/A074064x72	.075	4	.187	1
/S076024x72	/SS076024x72	/A076024x72	.075	1-1/2	.250	1
/S076032x72	/SS076032x72	/A076032x72	.075	2	.250	1
/S076040x72	/SS076040x72	/A076040x72	.075	2-1/2	.250	1
/S076048x72	/SS076048x72	/A076048x72	.075	3	.250	1
/S076056x72	/SS076056x72	/A076056x72	.075	3-1/2	.250	1
/S076064x72	/SS076064x72	/A076064x72	.075	4	.250	1
/S077032x72	/SS077032x72	/A077032x72	.075	2	.250	2
/S077040x72	/SS077040x72	/A077040x72	.075	2-1/2	.250	2
/S077048x72	/SS077048x72	/A077048x72	.075	3	.250	2
/S077056x72	/SS077056x72	/A077056x72	.075	3-1/2	.250	2
/S077064x72	/SS077064x72	/A077064x72	.075	4	.250	2
/S077080x72	/SS077080x72	/A077080x72	.075	5	.250	2
/S077096x72	/SS077096x72	/A077096x72	.075	6	.250	2
/S093032x72	/SS093032x72	/A093032x72	.090	2	.250	1
/S093048x72	/SS093048x72	/A093048x72	.090	3	.250	1
/S093064x72	/SS093064x72	/A093064x72	.090	4	.250	1
/S093080x72	/SS093080x72	/A093080x72	.090	5	.250	1
/S122032x72	/SS122032x72	/A122032x72	.120	2	.250	2
/S122048x72	/SS122048x72	/A122048x72	.120	3	.250	2